

CONTENTS

SECTION 1

PHYSICAL TURF ATTRIBUTES AND CONSTRUCTION

METHODS AND MATERIALS

Invited Symposium Paper

- Baker, S.W. The reinforcement of turfgrass areas using plastics and other synthetic materials: a review. 3

Contributed Papers

- Adams, W.A. The effect of fibremaster fibres on the stability and other properties of sand root zones. 15
- Adams, W.A. and Butters, H. Root zone formulation, anomalous behaviour and testing of physical properties. 21
- Anderson, D.L., Erbach, D.C., Agnew, M.L. and Christians, N.E. Measuring soil compaction in a turfgrass system with the soil strain gauge. 31
- Baker, S.W. and Richards, C.W. Soil physical properties of golf greens: relationships between laboratory and field measurements. 47
- Busey, P. and Boyer, S.E. Golf ball roll friction of *Cynodon* genotypes. 59
- Callahan, L.M., Freeland, R.S., von Bernuth, R.D., Shepard, D.P., Parham, J.M. and Garrison, J.M. Geotextiles as substitutes for choke layer sand in USGA greens. I. Water infiltration rates and water retention. 65
- Callahan, L.M., Freeland R.S., von Bernuth, R.D., Shepard, D.P., Parham J.M. and Garrison, J.M. Geotextiles as substitutes for choke layer sand in USGA greens. II. Particle migration and condition of separation layers. 75
- Dudeck, A.E. Influence of compost root zone media on growth of *Stenotaphrum secundatum*. 87
- Hamilton, G.W. Gregos, J.S. Tredway, L.P. and Gover, A.E. Pelletized paper as a mulch for turfgrass establishment. 101
- McAuliffe, K.W. and Gibbs, R.J. Investigation of the pace and bounce of cricket pitches in New Zealand. 109
- McGown, A., Quayyum, T.I., Beard, J.B. and Oliver, T.L.H. Performance evaluation of turfgrass root zone materials and profile constructions using an innovative rapid, eccentric loading test method. 121
- Neylan, J. and Robinson, M. Sand amendments for turf construction. 133

SECTION 2
ENVIRONMENTAL ISSUES

Contributed Papers

Baskaran, S., Kookana, R.S. and Naidu, R. Sorption and movement of some pesticides through turf profiles under Australian conditions.	151
Cisar, J.L. and Snyder, G.H. Mobility and persistence of turfgrass pesticides in a USGA green. V. Irrigation management and fenamiphos leaching.	167
Duff, D.T., Liu, H., Hull, R.J. and Sawyer, C.D. Nitrate leaching from long established Kentucky bluegrass turf.	175
Raturi, S., Carroll, M.J., Hill, R.L., Pfeil, E. and Hemer, A.E. Sorption of Dicamba to zoysia and hard fescue thatch.	187
Smith, A.E. Potential pesticide and nitrate transport in surface water from turfgrass in the South Eastern United States.	197
Snyder, G. and Cisar, J.L. Mobility and Persistence of turfgrass pesticides in a USGA-type green. IV. Dicamba and 2,4-D.	205

SECTION 3

BREEDING AND GENETICS

Invited Symposium Papers

Barker, R.E. Statistics of cultivar discrimination: are differences real?	243
Brilman, L.A. What is a true turfgrass variety? The USA perspective.	215
Peakall, R. PCR-based genetic markers and their applications to turfgrass breeding.	229

Contributed Papers

Asano, Y., Ito, Y., Fukami, M., Morifuji, M. and Fujiie, A. Production of herbicide resistant transgenic creeping bent plants.	261
Brede, A. D. Breeding enhanced turf quality and high seed yield in Kentucky bluegrass (<i>Poa pratensis</i> L.).	269
Chai, M.L. and Niu, Y.M. Variant plantlets regenerated from callus differentiation of <i>Festuca arundinacea</i> cv. 'Tempo'.	279
Fei, S. Read, P.E. and Riordan, T.P. In vitro regeneration of <i>Buchloe dactyloides</i> (Nutt.) Engelm. through immature inflorescence culture.	283
Golembiewski, R.C., Danneberger, T. K. and Sweeney, P.M. RAPD analysis of creeping bent seed and leaf tissue.	291
Inokuma, C., Sugiura, K., Imaizumi, N., Cho, C. and Kaneko, S. Transgenic zoysia (<i>Zoysia japonica</i> Steud.) plants regenerated from protoplasts.	297

Johnston, W.J., Nelson, M.C., Johnson, R.C. and Golob, C.T. Phenotypic evaluation of <i>Poa pratensis</i> L.: USDA/ARS plant introduction germplasm collection.	305
Klingenberg, J.P. and Riordan, T.P. Multiple trait selection index for the improvement of turf-type seeded <i>Buchloe dactyloides</i> (Nutt.) Engelm.	313
Klingenberg, J.P., Huff, D.R. and Baltensperger, A.A. Characterization of seed propagated F1 hybrids, clonal genotypes and commercial populations of <i>Cynodon dactylon</i> (L.) Pers.	321
Lee, L., Laramore, C., Hartman, C.L., Yang, L., Funk, C.R., Grande, J., Murphy, J.A., Johnston, S.A., Majek, B.A., Tumer, N.E. and Day, P.R. Field evaluation of herbicide resistance in transgenic <i>Agrostis stolonifera</i> and inheritance in the progeny.	337
Leinauer, B., Schulz, H., Bar, D. and Huber, A. <i>Poa supina</i> Schrad.: a new species for turf.	345
Niu, Y.M., Chai, M.L. and Zhong, W. Preliminary study on introduction and tissue culture of <i>Buchloe dactyloides</i> cv. 'UCHL-1'.	353
Ohmura, T. Sasakuma, T. and Kaneko, S. Identification of <i>Poa pratensis</i> L. and <i>Agrostis</i> spp. cultivars by random amplified polymorphic DNA (RAPD) markers.	359
Rodgers, C.A., Riordan, T.P and Johnson, B.E. Inheritance of caryopsis weight in two synthetic turf-type <i>Buchloe dactyloides</i> populations.	367
Stewart, A.V. and Aberdeen, I. The use of winter-active germplasm in breeding turf ryegrass for winter sports fields.	377
Taliaferro, C.M., Hopkins, A., Henthorn, J., Murphy C. and Edwards, R. Use of flow cytometry to estimate ploidy level in <i>Cynodon</i> species.	385
Taliaferro, C.M. and Lamle, J.T. Cytological analysis of self-incompatibility in <i>Cynodon dactylon</i> (L.) Pers.	393
Yaneshita, M., Kaneko, S. and Sasakuma, T. Genetic analysis of the winter leaf-colour of <i>Zoysia</i> spp. facilitated by molecular markers.	401

SECTION 4

TURF MANAGEMENT

Contributed Papers

Bell, G.E., Danneberger, T.K. and McDonald, M.B. Chemical inhibition of cool-season turfgrass germination.	411
Cockerham, S.T., Gibeault, V.A., Ries, S.B. and Khan R.A. Verticutting frequency and mowing height for management of 'De Anza' and 'Victoria' zoysia.	419
Couillard, A., Turgeon, A.J. and Rieke, P.E. New insights into thatch biodegradation.	427

Dorer, S.P. and Peacock, C.H. The effects of humate and organic fertilizer on establishment and nutrition of creeping bent putting greens.	437
Gibeault, V.A., Cockerham, S.T., Autio, R. and Ries, S.B. The enhancement of zoysia winter colour.	445
Giese, M.S., Gaussoin, R.E., Shearman, R.C. and Riordan, T.P. Sod production characteristics of turf-type <i>Buchloe dactyloides</i> .	455
Johnson, P.G., Riordan, T.P., Gaussoin, R.E., Schwarze, P.J. and Kerner, K.A. Vegetative establishment of <i>Buchloe dactyloides</i> (Nutt.) Engelm. with plugs.	467
Johnston, W.J. and Golob, C.T. Using a turf cover in combination with winter applied plant growth regulators on putting greens.	477
Kostka, S.T., Cisar, J.L., Short, J.R. and Mane, S. Evaluation of soil surfactants for the management of soil water repellency in turfgrass.	485
Maddox, V.L., Krans, J.V. and Sullivan, M.J. Survey of algal and cyanobacterial species on golf putting greens in Mississippi, USA.	495
McCarty, L.B. and Wienbrecht, J.S. <i>Cynodon dactylon</i> x <i>C. transvaalensis</i> cv. Tifway sprigging establishment and weed control following pre-emergence herbicide use.	507
Raikes, C., Lepp, N.W. and Canaway, P.M. The effect of different nitrogen application levels on disease incidence on five different soccer pitch constructions.	517
Shim, S.R. and Carrow, R.N. Cultivation and chemical injection: influence on soil physical and chemical properties.	533
Trenholm, L., Dudeck, A.D., Sartain, J.B. and Cisar, J.L. <i>Cynodon</i> responses to Nitrogen, Potassium and day-length during vegetative establishment.	541
Williams, K.E., Snyder, R.H., Cisar, J.L., Snyder, G.H. and Hadyu, J.J. Turfgrass response to coated-urea fertilizers. 1. Visual quality and clipping yields.	553

SECTION 5

PHYSIOLOGY AND ECOLOGY

Invited Symposium Papers

King, R.W., Gocal, G.F.W. and Heide, O.M. Regulation of leaf growth and flowering of cool season turf grasses.	565
Wilson, J.R. Adaptive responses of grasses to shade: relevance to turfgrasses for low light environments.	575

Contributed Papers

Baker, S.W. and Hunt, J.A. Effect of shade by stands on grass species and cultivar selection for football pitches.	593
Beard, J.B. and Sifers, S.I. Genetic diversity in dehydration avoidance and drought resistance within the <i>Cynodon</i> and <i>Zoysia</i> species.	603

Bourgoin, B. Variability of fine-leaved fescues (<i>Festuca</i> spp.) grown at low nitrogen levels	611
Briscoe, C. and Jacobs, B.C. Changes in root growth in the twelve months following establishment of two cultivars of creeping bent, <i>Agrostis stolonifera</i> .	621
Carrow, R.N. and Shim, S.R. Cultivation and chemical injection: influence on shoot, root and water relationships.	629
Chen, Y., Eggens, J.L. and Carey, K. Stress response of single and multiple cultivar populations of bent (<i>Agrostis</i> spp.).	639
Duncan, R.R. and Carrow, R.N. Stress resistant turf-type tall fescue (<i>Festuca arundinacea</i> Schreb.): Developing multiple abiotic stress tolerance.	653
Ervin, E.H. and Koski, A.J. A comparison of modified atmometer estimates of turfgrass evapotranspiration with Kimberly-Penman alfalfa reference evapotranspiration.	663
Hsiang, T., Carey, K., He, B. and Eggens, J.L. Composition of mixtures of four turfgrass species four years after seeding under non-wear conditions.	671
Huang, B., Duncan, R.R. and Carrow, R.N. Root spatial distribution and activity of four turfgrass species in response to localised drought stress.	681
Huff, D.R. Twin seedling survivorship among facultative apomictic <i>Poa pratensis</i> L. under different germination conditions.	691
Koski, A.J. Influence of paclobutrazol on creeping bent (<i>Agrostis stolonifera</i> L.) root production and drought resistance.	699
Landschoot, P.J. and Mancino, C.F. Assessment of the Minolta CR-310 Chroma Meter for predicting nitrogen status of <i>Agrostis stolonifera</i> L.	711
Liu, H., Heckman: J.R. and Murphy, J.A. Greenhouse screening of turfgrasses for aluminium tolerance.	719
Liu, H., Heckman, J.R. and Murphy, J.A. Aluminium tolerance among genotypes of <i>Agrostis</i> species.	729
Marcum, K.B. and Kopec, D.M. Salinity tolerance of turfgrasses and alternative species in the subfamily Chloridoideae (Poaceae).	735
Richardson, T.B. and Mancino, C.F. Inter-varietal rooting characteristics of 22 <i>Buchloe dactyloides</i> (Nutt.) Engelm. genotypes.	743
Riordan, T.P., Johnson, P.G., Gaussoin, R.E and Svoboda, J.F. Seedling germination and establishment of <i>Buchloe dactyloides</i> caryopses vs. burrs.	749
Wiest, C.S., Fry, J.D. and Upham, W.S. Toward a photographic technique for quantitative evaluation of turfgrass stands: a preliminary study of spring green-up in <i>Zoysia</i> .	757

SECTION 6

TURF DISEASES

Invited Symposium Papers

Deverall, B.J. Disease control through natural plant defences.	767
Meyer, W.A. and Belanger, F.C. The role of conventional breeding and biotechnical approaches to improve disease resistance in cool-season turfgrasses.	777
Nelson, E.B. Microbial inoculants for the control of turfgrass diseases.	791
Wong, P.T.W. Organic amendments for the control of pests and diseases of turfgrasses.	813

Contributed Papers

Adomako, B., Thorogood, D. and Clifford, B.C. Plant reaction types to crown rust (<i>Puccinia coronata</i> Corda) in meadow fescue (<i>Festuca pratensis</i> L.), perennial ryegrass (<i>Lolium perenne</i> L.) and <i>Lolium perenne</i> L. introgression lines.	823
Chastagner, G.A. Management of necrotic ring spot and take-all patch with DMI fungicides in the Pacific North-West of the USA.	833
Chastagner, G.A. and Hammer, W. Factors affecting the in-vitro production of pseudothecia of <i>Leptosphaeria korrae</i> .	847
Fidanza, M.A. and Dernoeden, P.H. A review of brown patch forecasting, pathogen detection and management strategies for turfgrasses.	863
Gilstrap, D.M., Vargas, Jr., J.M., Golembiewski, R.C., Jones, A.L. and Schabenberger, O. Fungicide efficacy on demethylation inhibition (DMI) resistant <i>Sclerotinia homoeocarpa</i> .	875
Green II, D.E. and Burpee, L.L. Modelling the effects of host resistance on the progress of rhizoctonia blight in tall fescue (<i>Festuca arundinacea</i> Schreb.)	883
Hsiang, T. and Chastagner, G.A. Resistance of <i>Poa pratensis</i> cultivars to <i>Leptosphaeria korrae</i> .	893
Landschoot, P.J. and McNitt, A.S. Effect of nitrogen fertilizers on suppression of dollar spot disease of <i>Agrostis stolonifera</i> L.	905
Richardson, M.D., Freeman, G.W., Meyer, W.A., Reddy, P.V. and White Jr, J.F. Endophytes from fine fescues of Europe and North America.	913
Stahnke, G.K., Foss, C.R. and Pidgeon, C.M. Screening antagonistic microorganisms for suppression of fusarium patch (<i>Microdochium nivale</i>) in turfgrass.	919
Sun, S. and Brede, A.D. Inoculation of creeping bent with <i>Acremonium</i> endophyte.	925
Tisserat, N. and Fry, J. Cultural practices to reduce spring dead spot (<i>Ophiosphaerella herpotricha</i>) severity in <i>Cynodon dactylon</i> .	931
International Turfgrass Society Research Journal - Volume 8 (1997)	viii

Umemoto, S., Shingyoji, T., Yasuda, M. and Aoki, K. Control of <i>Curvularia</i> leaf blight of <i>Zoysia matrella</i> by lowering soil pH with acidifying fertilizers and amendments.	937
Wetzell IIIH.C., Dernoeden, P.H., Jackson, N. and Millner, P.D. Molecular evidence that <i>Phialophora graminicola</i> is the anamorph of <i>Gaeumannomyces cylindrosporus</i>	949
Zhang, M. and Dernoeden, P.H. <i>Rhizoctonia solani</i> anastomosis groups and other fungi associated with brown patch affected turfgrasses in Maryland, USA.	959

SECTION 7

TURF INSECT PESTS

Contributed Papers

Brandenberg, R.L., Hertl, P.T. and Villani, M.G. Integration and adoption of a mole cricket management program in North Carolina, USA.	973
Cherry, R.H. and Nagata, R.T. Ovipositional preference and survival of southern chinch bugs (<i>Blissus insularis</i> Barber) on different grasses.	981
Hatsukade, M. Biology and control of the hunting billbug, <i>Sphenophorus venatus vestitus</i> Chittenden, on golf courses in Japan.	987
Heng-moss, T.M., Baxendale, F.P., Johnson-Cicalese, J.M. and Riordan T.P. Non-destructive monitoring of mealybugs (Homoptera: Pseudococcidae) on <i>Buchloe dactyloides</i> .	997
Reinert, J.A., Engelke, M.C., Read, J.C., Maranz, S.T. and Wiseman, B.R. Susceptibility of cool and warm season turfgrasses to fall army worm (<i>Spodoptera frugiperda</i>).	1003

SECTION 8

TURF WEEDS

Contributed Papers

Bhowmik, P.C. Response of <i>Digitaria sanguinalis</i> and perennial ryegrass to consecutive annual spring applications of dithiopyr, oxadiazon and pendimethalin.	1015
Boyd, J.W. and Baird, J.H. Herbicide effects on sprig establishment of <i>Zoysia japonica</i> cv. El Toro and <i>Cynodon dactylon</i> x <i>Cynodon transvaalensis</i> cv. Midlawn.	1025
Johnson, B.J. Reduced pre-emergence herbicide rates for <i>Digitaria sanguinalis</i> control in four seeded <i>Cynodon dactylon</i> cultivars.	1033
Liu, D.L. and Christians, N.E. The use of hydrolyzed corn gluten meal as a natural pre-emergence weed control in turf.	1043

Murphy, T.R. and Smith, A.E. Detection and Control of dinitroaniline-resistant <i>Eleusine indica</i> (L.) Gaertn. in <i>Cynodon dactylon</i> .	1051
Tillman, P. and Beard, J.B. The effects of six pre-emergence herbicides on the root growth of two warm season turf grasses.	1059
Whitwell, T. and Lowe, D.B. <i>Cyperus esculentus</i> tuber reduction with selected post emergence herbicides: a three year study.	1069
Wu L. and Guo X. Effects on root and shoot growth of <i>Poa annua</i> L. seedlings of phenolic acids detected in water extracts of <i>Buchloe dactyloides</i> (Nutt.) Engelm. clippings.	1075
Yelverton, F.H., McCarty, L.B. and Murphy, T.R. Effects of imazameth on the growth of <i>Paspalum notatum</i> Fluegge.	1085

SECTION 9

ECONOMIC, EDUCATIONAL AND SOCIAL ISSUES

Invited Symposium Paper

Aldous, D.E. World trends in education and training for turfgrass science. and management.	1097
--	------

Contributed Papers

Haydu, J.J., Hodges, A.W., van Blokland, P.J. and Cisar, J.L. Economic and environmental adaptations in Florida's golf course industry, 1974-1994	1109
Hodges, A.W., Haydu, J.J. and van Blokland, P.J. Employment and value-added in Florida's turfgrass industry.	1117
van Blokland, P.J., Hodges, A.W. and Haydu J.J. Measuring the economic contribution of Florida's turfgrass industry using the value added methodology.	1127

CONTENTS OF PART 2

SECTION 1

PHYSICAL TURF ATTRIBUTES AND CONSTRUCTION

METHODS AND MATERIALS

Contributed Papers

- Aragao, S., Geering, H., Wallis, M., Pearson, C. and Martin, P.M. 1136
Hydrological properties of three greens with different construction profiles.
- Constantinou, C., Diesburg, K.L., Chong, S.K. and Constantinou, K. 1150
Testing indigenous materials for sports turf rootzone construction in Cyprus.

SECTION 2

ENVIRONMENTAL ISSUES

There are no papers in this section in Part 2.

SECTION 3

BREEDING AND GENETICS

Contributed Papers

- McMaugh, S. and Lyon, B. 1166
Molecular genetic analysis of the defensive responses of *Cynodon dactylon* to the fungal pathogen *Leptosphaeria narmari*.
- Murphy, J.A., Bonos, S. and Perdomo, P. 1176
Classification of *Poa pratensis* genotypes.

SECTION 4

TURF MANAGEMENT

Invited Symposium Paper

- Beard, J.B. 1186
Shade stresses and adaptation mechanisms of turfgrasses.

Contributed Papers

- Chivers, I. Aldous, D.E. and Nicolas, M. 1196
Agronomic studies on the establishment of *Microlaena stipoides* (Labill.) R. Br. (Weeping Grass)
- Duncan, R.R. 1208
Environmental compatibility of seashore paspalum (saltwater couch) for golf courses and other recreational uses. I. Breeding and genetics.

Duncan, R.R. Environmental compatibility of seashore paspalum (saltwater couch) for golf courses and other recreational uses. II. Management Protocols.	1216
Landry, G., Karnok, K., Raikes, C. and Magnum, K. Bent (<i>Agrostis</i> spp.) cultivar performance on a golf course putting green.	1230
Minner, D.D., Dunn, J.H., Bughrara, S.S. and Fresenburg, B.F. Effect of topdressing with "Profile" TM porous ceramic clay on putting green quality, incidence of dry spot and hydraulic conductivity.	1240

SECTION 5

PHYSIOLOGY AND ECOLOGY

Contributed Papers

Cereti, C.F. Pettinelli, E. and Rossini, F. Water content measurement in fine grained sediments using TDR and multi level probes for turfgrass research.	1252
Cereti, C.F. and Rossini, F. Effect of intensity and duration of shade on turfgrasses in a Mediterranean environment.	1260
Fry, J., Wiest, S., Qian, Y. and Upham, W. Evaluation of empirical models for estimating turfgrass water use.	1268
Horst, G.L., Steinegger, D.H. and Gaussoin, R.E. Comparative evapotranspiration rates of some perennial herbaceous ground covers and turfgrass species under greenhouse conditions.	1274
Keeley, S.J. and Koski, A.J. Measuring turfgrass evapotranspiration rates by time domain reflectometry: a field assessment.	1280
Liu, J., Niu, Y.M. and Zhong, W. Preliminary study of the response of tall fescue to the triazole growth retardant S3307.	1292
Miller, G.L and Dickens, R. Water relations of two <i>Cynodon</i> turf cultivars as influenced by potassium.	1298
Peacock, C.H., Bruneau, A.H. and Di Paola, J.M. Response of the <i>Cynodon</i> cultivar 'Tifgreen' to potassium fertilisation.	1308
Razmjoo, K., Sugiura, J. and Kaneko, S. Relative cold, flood and salt tolerance of <i>Cynodon</i> turfgrasses.	1314
Richardson, T.B. and Mancino, C.F. Nitrogen uptake efficiency of twenty two <i>Buchloë dactyloides</i> (Nutt.) Engelm. genotypes.	1322

Rose Fricker, C., Frazer, M. and Meyer, W.A. Competitive abilities and performance of cool season turfgrass species in mixtures in the Willamette Valley of Oregon, USA, under high and low maintenance turf conditions.	1330
Sun, H., Schmidt, R.E. and Eisenbach, J.D. The effect of seaweed concentrate on the growth of nematode infected bent grown under low soil moisture.	1336
Volterrani, M., Grossi, N., Pardini, G., Miele, S., Gaetani, M. and Magni, S. Warm season turfgrass adaptation in Italy.	1344
Yan, J., Schmidt, R.E. and Orcutt, D.M. Influence of fortified seaweed extract and drought stress on cell membrane lipids and sterols of ryegrass leaves.	1356
Xunzhong, Z. and Schmidt, R.E. The impact of growth regulators on the α -tocopherol status in water stressed <i>Poa pratensis</i> L.	1364

SECTION 6

TURF DISEASES

Contributed Paper

Colbaugh, P.F. and Gonzalez, C.T. Influence of clippings recycling on disease incidence in three turfgrass species.	1374
---	------

SECTION 7

TURF INSECT PESTS

There are no papers in this section in Part 2.

SECTION 8

TURF WEEDS

Contributed Papers

Cochard, H. and Gillonnier Moyne, G. Iso-dimethenamide for <i>Digitaria</i> and <i>Poa annua</i> control in bent greens and ryegrass sportsfields.	1382
McCallum, C.M. and Martin, P.M. Selective control of <i>Sporobolus indicus</i> (L.) R.Br. var. <i>capensis</i> Eng. (Parramatta Grass) in warm season turf using glyphosate and the Weed Bug® system.	1388
Neylan J., Nickson, D., Robinson, M. and Manning, P. Control of <i>Poa annua</i> in creeping bent (<i>Agrostis stolonifera</i>) greens.	1398

Noma, Y. Preliminary studies on control of <i>Kummerovia striata</i> (Japanese clover) in turf with the plant growth regulator flurprimidol.	1408
Noma, Y. and Takagaki, M. Effect of the plant growth regulator Paclobutrazol on the growth of weeds within turf.	1414

SECTION 9

ECONOMIC, EDUCATIONAL AND SOCIAL ISSUES

There are no papers in this section in Part 2.

Corrections to Part 1	1418
List of Referees	1419
Index to Volume 8. Parts 1 and 2	
Consolidated Author Index	1420
Consolidated Subject Index	1424