

INTERNATIONAL TURFGRASS SOCIETY
RESEARCH JOURNAL
VOLUME 9
2001

Editor-in-chief

K. Carey

Editors

S. W. Baker
J. B. Beard
R. N. Carrow
T. K. Danneberger

R. R. Duncan
R. E. Gaussoin
R. J. Gibbs
T. Hsiang
M. P. Kenna

P. J. Landschoot
G. R. Stephenson
A. J. Turgeon
P. Vittum

Editorial Assistant

E. Gunn

PARTS ONE & TWO

RESEARCH PAPERS PRESENTED AT THE
9TH INTERNATIONAL TURFGRASS RESEARCH CONFERENCE,
TORONTO, ONTARIO, 15-21 JULY, 2001

The editors gratefully acknowledge the following scientists who served as reviewers for the papers in this volume:

Adams, W.A.	Erusha, K.	Krans, J.	Ross, C.
Alm, S.	Fermanian, T.	Landry, G.	Rossi, F.
Baxendale, F.P.	Field, T.R.O.	Lawson, D.M.	Ruemmele, B.
Beard, J. B.	Fry, J.	Lee, L.	Sartain, J.
Belanger, F.	Gardner, D.	Marcum, K.	Schmidt, R.E.
Boehm, M.	Gaussoin, R.	Martin, D.	Scotter, D.
Bowman, D.	Gibeault, V.	Martin Jr., S. B.	Shearman, R.C.
Braman, K.	Goss, R.	Mazur, R.	Shetlar, D.J.
Brandenburg, R.C.	Green, R.L.	McAuliffe, K.	Shuman, L.
Branham, B.	Grewal, P.	McCarty, B.	Sifers, S.I.
Brilman, L.	Guertal, B.	McCoy, E.	Smitley, D.
Bruneau, A.	Hall, J.	McCrimmon, J.	Snyder, G.H.
Buchan, G.	Hallett, P.M.	McNitt, A.	Stahnke, G.
Burpee, L.L.	Hamilton, G.	Miller, G.	Stier, J.C.
Busey, P.	Hanna, W.W.	Miller, W.	Stowell, L.
Callahan, L.	Hannaford, J.C.	Miltner, E.	Street, J.
Canaway, P.M.	Harivandi, A.	Munro, P.	Taliaferro, C.M.
Carroll, M.	Heckman, N.	Murphy, J.	Taylor II, G.
David Chalmers	Heller, P.	Murphy, T.	Throssel, C.
Christians, N.E.	Horst, G.	Nelson, E.	Tillman, R.
Cobb, P.P.	Huang, B.	Newell, A.J.	Trenholm, L.
Cockerham, S.	Hudson, W.	Peacock, C.	Tuohy, M.
Cooper, R.J.	Huff, D.J.	Pessaraki, M.	Unruh, B.
Crenshaw, W.	Hull, R.J.	Petrovic, M.A.	Van Eerd, L.
Danneberger, K.	Hummel, N.E.	Plank, O.	Vincelli, P.
Dekker, L.W.	Johnson, A.	Potter, D.J.	Volterrani, M.
Dernoeden, P.	Johnson, P.	Powell, A.	Waddington, D.
Devitt, D.	Karcher, D.E.	Ramsey, R.J.L.	Watschke, T.
Diesburg, K. L.	Karnok, K.	Reicher, Z.	Welterlen, M.
DiPaola, J.M.	Keeley, S.	Reike, P.E.	White, R.
Dudeck, A.E.	Kenna, M.	Richardson, M.D.	Wick, R.L.
Dunn, J.	Kopec, D.	Ritsema, C.J.	Williamson, R.C.
Engelke, M.	Koppenhoffer, A.	Rogers III, J.N.	Wrigley, M.
Entwistle, C.A.	Koski, A.	Rose-Fricker, C.	Yelverton, F.

Note

All papers published in this volume of the Research Journal of the International Turfgrass Society have been refereed (peer reviewed) and have been subject to editing to achieve uniformity of layout and reasonable consistency in nomenclature and units.

Papers in the Journal are published without liability for any loss or damage suffered as a result of their application or use. Occasional references in this publication to trade names and proprietary products are inevitable, but such references are not to be construed as constituting an endorsement of the named products, nor is any criticism implied of similar products which are not mentioned. The points of view expressed in the papers are those of the authors and do not necessarily reflect the views of the International Turfgrass Society.

Copyright © 2001 by International Turfgrass Society
Secretary, Teri Yamada. Royal Canadian Golf Association,
Oakville, Ontario, Canada

Printed by Webcom Limited

Table of Contents

PART ONE

SECTION 1

CONSERVATION AND ENVIRONMENT

Carroll, M. J., Hill, R. L., Pfeil, E., and Krouse, J. M. Effect of residence time on washoff of chlorothalonil from turf foliage	1
Carter, M., Bowhey, C., Lang, S., Charbonneau, P., and Stephenson, G. R. Persistence of 2,4-D, mecoprop, dicamba, chlorpyrifos, and chlorothalonil in composted turfgrass clippings	6
Cisar, J. L., Snyder, R. H., Sartain, J. B., and Borgert, C. J. Dislodgeable residues of chlorpyrifos and isazofos and implications for golfer exposure	12
Johnston, W. J., Golob, C. T., Kleene, C. M., Pan, W. L., and Miltner, E. D. Nitrogen leaching through a floating sand-based golf green under golf course play and management	19
McKernan, D. K., Ross, J.B., and Tompkins, D.K. Evaluation of grasses grown under low maintenance conditions	25
Pathan, S.M., Aylmore, L. A. G., and Colmer, T. D. Fly ash amendment of sandy soil to improve water and nutrient use efficiency in turf culture	33
Snyder, G. H., Elliott, C. L., and Cisar, J. L. A cross-linked phenolic polyether (CPP) for reducing fenamiphos leaching in golf greens	40
Stephenson, G. R., Bowhey, C. S., Lang, S. R., and Solomon, K. R. Homeowner-applicator and bystander exposure to chlorpyrifos applied to turfgrass	45

SECTION 2

EDUCATION AND INFORMATION TECHNOLOGY

Carrow, R. N., Duncan, R. R., and Shearman, R. C. Providing relevant information to turfgrass managers: Challenges and implications	53
Cookingham, P. O. Collection and database development at the Turfgrass Information Center: Supporting turfgrass scholarship	61
Fermanian, T. W., Voigt, T. B., and Braga, P. P. Web-based turfgrass species selection tool	66
Jiang, Z., and Sullivan, W. M. Development of a world wide web-based turfgrass management course using web course tools	72
Jones, V. O., Horst, G. L., Schleicher, L. C., McCluskey, M. M., Pohlman, C., and McCue, R. Collaborative relationships in postsecondary education: Moving from competition to collaboration to meet the needs of place bound learners	82
Karnok, K. J. Combining distance education delivery technologies for an effective teaching/ learning experience	87
McNitt, A. S. and Johnson, G. F. Active learning through distance education: Design and implementation of a turfgrass soils laboratory	91
Stahnke, G. K., Miltner, E. D., and Johnston, W. J. Specialty instructional modules on the internet for students and turfgrass professionals	95
Stewart, B. R., Waddington, D. V., Goatley, J. M., and Krans, J. V. A laboratory exercise demonstrating the interactions of sand, and organic and inorganic amendments on physical properties of sports turf rootzone mixes	98

Turgeon, A. J. Turfgrass instruction through the internet	104
van Blokland, P. J. Pricing to ensure profitability and survival	111
Vinsonhaler, J. F. and Johnson, P. G. Turf Doctor: A web-based expert system for turfgrass problem diagnosis and treatment	115

SECTION 3

GENETICS AND BREEDING

Altpeter, F., Xu, J., and Ahmed, S. Stable genetic transformation of commercial cool season turfgrass (<i>Lolium perenne</i> L. and <i>Festuca rubra</i> L.) cultivars	123
Bai, Y., and Qu, R. Genetic transformation of elite turf-type cultivars of tall fescue	129
Bonos, S. A., Watkins, E., Honig, J. A., Sosa, M., Molnar, T., Murphy, J. A., and Meyer, W. A. Breeding cool-season turfgrasses for wear tolerance using a wear simulator	137
Bradley, D. E., Bai, Y., Tallury, S. P., and Qu, R. Scanning electron microscopic study on <i>in vitro</i> somatic embryogenesis of perennial ryegrass and tall fescue.	146
Bradley, D. E., Bruneau, A. H., and Qu, R. Effects of cultivar, explant treatment, and medium supplements on callus induction and plantlet regeneration in perennial ryegrass	152
Brilman, L. A. Utilization of interspecific crosses for turfgrass improvement	157
Fei, S., Bishnoi, U. S., Riordan, T., and Read, P. Embryogenic callus induction and plant regeneration of buffalograss through leaf base and seedling segment culture	162
Fei, S., Yu, T., Clemente, T., and Riordan, T. Nodal segment explant as a potential target for the genetic engineering of buffalograss	165
Huff, D. R. Characterization of Kentucky bluegrass cultivars using RAPD markers	169
Johnson, P. G., and Riordan, T. P. Unbalanced chromosome number and inbreeding effects on fertility and plant vigor in buffalograss	176
Liu, H. Soil acidity and aluminum toxicity response in turfgrass	180
Morris, K. N., and Gao, G. L. Efforts to better characterize turfgrass performance in the U.S.A and Canada	188
Poole, G. J., Johnston, W. J., and Johnson, R. C. <i>Poa annua</i> diversity on golf course greens in the Pacific Northwest, USA	192
Qu, R., and Chaudhury, A. Improved young inflorescence culture and regeneration of ‘Tifway’ bermudagrass (<i>Cynodon transvaalensis</i> x <i>C. dactylon</i>)	198
Read, J. C. Utilization of apomictic and dioecious method of reproduction in breeding of <i>Poa</i> spp.	202
Rose-Fricker, C., and Wipff, J. K. Breeding for salt tolerance in cool season turf grasses	206
Sifers, S. I., Beard, J. B., and Fraser, M. L. Botanical comparisons of twelve <i>Agrostis</i> cultivars in a warm-humid climate	213
Thorogood, D., Paget, M. F., Humphreys, M. O., Turner, L. B., Armstead, I., and Roderick, H. QTL analysis of crown rust resistance in perennial ryegrass - implications for breeding	218
Wipff, J. K., and Fricker, C. Gene flow from transgenic creeping bentgrass (<i>Agrostis stolonifera</i> L.) in the Willamette Valley, Oregon	224

SECTION 4

PHYSIOLOGY

Bushoven, J. T., and Hull, R. J. Nitrogen use efficiency is linked to nitrate reductase activity and biomass partitioning between roots and shoots of perennial ryegrass and creeping bentgrass	245
Carrow, R. N., Duncan, R. R., Worley, J. E., and Shearman, R.C. Turfgrass traffic (soil compaction plus wear) simulator: Response of <i>Paspalum vaginatum</i> and <i>Cynodon</i> spp.	253
Cyril, J., Powell, G. L., and Baird, W. V. Changes in membrane fatty acid composition during cold acclimation and characterization of fatty acid desaturase genes in bermudagrass	259
Frank, K. W., Gaussoin, R. E., Riordan, T. P., Stroup, W. W., and Bloom, M. H. Nitrogen allocation of turfgrasses: I. Recovery of ¹⁵ N-labeled ammonium nitrate applied to buffalograss [<i>Buchloe dactyloides</i> (Nutt.) Engelm]	268
Frank, K. W., Gaussoin, R. E., Riordan, T. P., Stroup, W. W., and Bloom, M. H. Nitrogen allocation of turfgrasses: II. Recovery of ¹⁵ N-labeled ammonium nitrate applied to Kentucky bluegrass (<i>Poa pratensis</i> L.) and tall fescue (<i>Festuca arundinacea</i> Schreb.)	277
Heckman, N. L., Horst, G. L., and Gaussoin, R. E. Influence of trinexapac-ethyl on specific leaf weight and chlorophyll content of <i>Poa pratensis</i>	287
Huang, B., and Fu, J. Growth and physiological responses of tall fescue to surface soil drying	291
Jiang, Y., and Huang, B. Effects of calcium on physiological responses of tall fescue and Kentucky bluegrass to drought stress	297
Jiang, Z., Sullivan, W. M., and Hull, R. J. Nitrate uptake and metabolism in Kentucky bluegrass as affected by nitrate levels	303
Keeley, S. J., and Koski, A. J. Dehydration avoidance of diverse <i>Poa pratensis</i> cultivars and cultivar groups in a semi-arid climate	311
Li, D., Han, L., Christians, N. E., and Minner, D. D. Morphological changes of tall fescue in response to saturated soil conditions	317
Miller, G. L., and McCarty, L. B. Water relations and rooting characteristics of three <i>Stenotaphrum secundatum</i> turf cultivars grown under water deficit conditions	323
Minner, D. D., Li, D., Patterozzi, V., and Salmond, J. J. The effect of tarp color and cover material on <i>Poa pratensis</i> growth	328
Qian, Y. L., and Suplick, M. R. Interactive effects of salinity and temperature on Kentucky bluegrass and tall fescue seed germination	334
Schmidt, R. E., and Zhang, X. Alleviation of photochemical activity decline of turfgrasses exposed to soil moisture stress or UV radiation	340
Shearman, R. C., Carrow, R. N., Wit, L. A., Duncan, R. R., Trenholm, L. E., and Worley, J. E. Turfgrass traffic simulators: A description of two self-propelled devices simulating wear and compaction stress injury	347
Van Huylenbroeck, J. M., and Van Bockstaele, E. Effects of shading on photosynthetic capacity and growth of turfgrass species	353

SECTION 5

SOIL BIOLOGY AND CHEMISTRY

Bell, G. E., Martin, D. L., Wiese, S. G., and Kuzmic, R. M. Field evaluation of agricultural sulfur for use on turfgrass under alkaline irrigation	363
----------------------------------------------------------------------------------------------------------------------------------------------------------	-----

Cisar, J.L., Snyder, G. H, Haydu, J. J., and Williams, K. E. Turf response to coated-urea fertilizers. II. Nitrogen content in clippings, nitrogen uptake, and nitrogen retention from prills	368
Dest, W. M., and Guillard, K. Bentgrass response to K fertilization and K release rates from eight sand rootzone sources used in putting green construction	375
Gentilucci, G., Murphy, J. A., and Zaurov, D. E. Nitrogen requirement for Kentucky bluegrass grown on compost amended soil	382
Hill, W. J., Heckman, J. R., Clarke, B. B., and Murphy, J. A. Influence of liming and nitrogen on the severity of summer patch of Kentucky bluegrass	388
Lee, D. J., Wollum, A. G., Bowman, D. C., Peacock, C. H., and Rufty Jr.,T. W. Temperature effects on nitrogen mineralization in bermudagrass turf	394
McCrimmon, J. N. Nutrient content and quality of bermudagrass cultivars	398
Miltner, E. D., Stahnke, G. K., and Backman, P. A. Leaf tissue N content and soil N status following monthly applications of nitrogen fertilizer to fairway turf	409
Peacock, C. H. Response of ‘Tifway’ bermudagrass (<i>Cynodon dactylon</i> x <i>C. transvaalensis</i>) to N:S:K ratios	416
Petri, A. N., and Petrovic, A. M. Cation exchange capacity impacts on shoot growth and nutrient recovery in sand based creeping bentgrass greens	422
Roy, J. L., and McGill, W. B. Observations on the chemistry of organic materials in water-repellent soils	428
St. John, R. A., Christians, N. E., and Taber, H. G. Supplemental calcium applications to turfgrass established on calcareous soils	437

PART TWO

SECTION 6

SOIL PHYSICS

Adams, W. A., and Young, R. J. Laboratory testing of the friction characteristics of novel mixes for cricket pitch rootzones	445
Adams, W. A., Young, R. J., and Baker, S. W. Some soil and turf factors affecting the playing characteristics of premier cricket pitches in Britain	451
Baker, S. W., and Binns, D. J. The influence of grain size and shape on particle migration from the rootzone layer to the drainage layer of golf greens	458
Baker, S. W., and Binns, D. J. Vertical distribution of moisture in golf greens following gravitational drainage: The effects of intermediate layer and drainage layer materials	463
Baker, S. W., Binns, D. J., Cook, A., and Mooney, S. J. The performance of cricket pitches in relation to soil type and moisture content	469
Bigelow, C. A., Bowman, D. C., and Cassel, D. K. Water retention of sand-based putting green mixtures as affected by the presence of gravel sub-layers	479
Boniak, R., Chong, S.-K., Ok, C. H., and Diesburg, K. L. Rootzone mixes amended with crumb rubber - field study	487
Chong, S.-K., Ok, C. H., Boniak, R., and Diesburg, K. L. Rootzone mixes amended with crumb rubber - laboratory study	493

Dekker, L. W., Oostindie, K., Ziogas, A. K., and Ritsema, C. J. The impact of water repellency on soil moisture variability and preferential flow	498
Gibbs, R. J. , Liu, C. , Yang, M.-H., and Wrigley, M. P. Effect of rootzone composition and cultivation/aeration treatment on the physical and root growth performance of golf greens under New Zealand conditions	506
Hallett, P. D., Ritz, K., and Wheatley, R. E. Microbial derived water repellency in golf course soil	518
Joo, Y. K., Lee, J. P., Christians, N. E., and Minner, D. D. Modification of sand-based soil media with organic and inorganic soil amendments	525
Karcher, D. E., Rieke, P. E., and Makk, J. F. Cultivation effects on surface qualities of an <i>Agrostis palustris</i> putting green	532
Karnok, K. J., and Tucker, K. A. Wetting agent treated hydrophobic soil and its effect on color, quality and root growth of creeping bentgrass	537
Leinauer, B., Rieke, P. E., VanLeeuwen, D., Sallenave, R., Makk, J., and Johnson, E. Effects of soil surfactants on water retention in turfgrass rootzones	542
Li, D., Volterrani, M., Christians, N. E., Minner, D. D., and Magni, S. Freezing and thawing effects on sand-based media modified with soil amendments	548
McAuliffe, K. W., and Hannan, B. K. Effects of root zone construction and preparation methods on cricket pitch performance	553
McNitt, A. S., and Landschoot, P. J. Evaluation of a modular turfgrass system amended with shredded carpet	559
McNitt, A. S., and Landschoot, P. J. The effects of soil reinforcing inclusions in an athletic field rootzone	565
Murphy, J. A., Honig, J. A., Samaranyake, H., Lawson, T. J. , and Murphy, S. L. Creeping bentgrass establishment on root zones varying in sand sizes	573
Nikolai, T. A., Rieke, P. E., Rogers, III, J. N., and Vargas Jr., J. M. Turfgrass and soil responses to lightweight rolling on putting green root zone mixes	604
Richardson, M. D., and Karcher, D. E. Addition of inorganic amendments to a mature, sand-based putting green	610
Ritsema, C. J. , van Dam, J. C., Dekker, L. W., and Oostindie, K. Principles and modeling of flow and transport in water repellent surface layers, and consequences for management	615
Steenhuis, T. S., Rivera, J. C., Hernández, C. J. M., Walter, M. T., Bryant, R. B., and Nektarios, P. Water repellency in New York State soils	624
Volterrani, M., Grossi, N., Magni, S., and Miele, S. Turf parking lots: Performance of different growing media and cool season turfgrass mixtures	629
Wasura, J. P., and Petrovic, A. M. Physical stability of inorganic amendments used in turfgrass root zones	636

SECTION 7

TURFGRASS DISEASES

Burpee, L. L. Growth of <i>Sclerotinia homoeocarpa</i> as affected by repeated exposure to propiconazole	645
Camberato, J. J., Martin, S. B., and Turner, A. V. Fungicides affect rough bluegrass germination and seedling development	649

Davis, J. G., and Dernoeden, P. H. Fermentation and delivery of <i>Pseudomonas aureofaciens</i> strain Tx-1 to bentgrass affected by dollar spot and brown patch	655
Golembiewski, R. C., Danneberger, T. K., and Sweeney, P. M. Lack of dollar spot (<i>Sclerotinia homoeocarpa</i> F.T. Bennett) influence on changing the cultivar composition of a stand of creeping bentgrass	665
Hsiang, T., and Cook, S. Effect of <i>Typhula phacorrhiza</i> on winter injury in field trials across Canada	669
Hsiang, T., and Dean, J. D. DNA sequencing for anastomosis grouping of <i>Rhizoctonia solani</i> isolates from <i>Poa annua</i>	674
Landschoot, P. J., Park, B. S., and Uddin, W. Nontarget effects of PCNB on putting green turf	679
Martin, D. L., Bell, G. E., Taliaferro, C. M., Tisserat, N. A., Baird, J. H., Dobson, D. D., Kuzmic, R. M., and Anderson, J. A. Spring dead spot resistance of inter-specific hybrid bermudagrasses	685
Martin, S. B., Jeffers, S. N., and Rogers, A. Isolation frequency and pathogenicity of <i>Rhizoctonia</i> species from tall fescue crown and leaf tissues from two locations in South Carolina	689
Millett, S. M., Matsumoto, N., and Maxwell, D. P. Mating reactions of <i>Typhula ishikariensis</i> Imai complex isolates from Wisconsin golf courses	695
Mocioni, M., Gennari, M., and Gullino, M. L. Reduced sensitivity of <i>Sclerotinia homoeocarpa</i> to fungicides on some Italian golf courses	701
Rinehart, G. J., Baird, J. H., Calhoun, R. N., and Schabbenberger, O. Remote sensing of brown patch and dollar spot on creeping bentgrass and annual bluegrass turf using visible and near-infrared spectroscopy	705
Settle, D., Fry, J., and Tisserat, N. Effects of irrigation frequency on brown patch in perennial ryegrass	710
Tredway, L. P., Soika, M. D., and Clarke, B. B. Red thread development in perennial ryegrass in response to nitrogen, phosphorous, and potassium fertilizer applications	715
Watkins, J. E., Gaussoin, R. E., Frank, K. W., and Wit, L. A. Brown patch severity and perennial ryegrass quality as influenced by nitrogen rate and source and cultivar	723
Watkins, J. E., Shearman, R. C., Gaussoin, R. E., Cecil, W. K., Vaitkus, M., and Wit, L. A. An integrated approach to dollar spot management on a bentgrass fairway	729
Yuen, G. Y., and Kilic, O. Evidence of induced resistance in the control of <i>Bipolaris sorokiniana</i> in tall fescue by <i>Stenotrophomonas maltophilia</i> C3	736
Yuen, G. Y., and Zhang, Z. Control of brown patch disease using the bacterium <i>Stenotrophomonas maltophilia</i> strain C3 and culture fluid	742

SECTION 8

TURFGRASS INSECT PESTS

Baxendale, F. P., Weinhold, A. P., Heng-Moss, T. M., Young, L. J., and Zajac, M. A. Residual control of black cutworm, <i>Agrotis ipsilon</i> (Lepidoptera: Noctuidae) with selected pyrethroid insecticides	751
Crocker, R. L., and Wei, X. Fall armyworm (Lepidoptera: Noctuidae) control in warm season turfgrass	755
Crocker, R. L., and Wei, X. Southern chinch bug (Hemiptera: Lygaeidae) control in St. Augustinegrass turf	763
Hatsukade, M. Control of scarabaeid larvae by the entomopathogenic nematode, <i>Steinernema kushidai</i>, on golf courses in Japan	769
Hudson, W. G. Surface movement of the tawny mole cricket, <i>Scapteriscus vicinus</i> (Orthoptera: Gryllotalpidae)	774

Martin, S. B., Camberato, J. J., and Mudge, L. Influence of spring-applied preemergence herbicides and nematicides on bermudagrass in nematode-infested soil	780
Reinert, J. A., and Maranz, S. J. Controlling the red imported fire ant, <i>Solenopsis invicta</i>, in urban landscapes	787
Reinert, J. A., and Busey, P. Host resistance to tawny mole cricket, <i>Scapteriscus vicinus</i>, in bermudagrass, <i>Cynodon</i> spp.	793
Reinert, J. A., and Engelke, M. C. Resistance in zoysiagrass, <i>Zoysia</i> spp., to the tropical sod webworm, <i>Herpetogramma phaeopteralis</i> Guenee	798
Reinert, J. A., and Read, J. C. Host resistance to white grubs (<i>Phyllophaga</i> spp.) among genotypes of <i>Poa arachnifera</i> x <i>P. pratensis</i> hybrids	802
Rogers, M. E., Held, D. W., Williams, D. W., and Potter, D. A. Effects of two plant growth regulators on suitability of creeping bentgrass for black cutworms and sod webworms	806
Williamson, R. C., and Potter, D. A. Survival and development of black cutworm (Lepidoptera: Noctuidae) larvae on creeping bentgrass cultivars	810

SECTION 9

TURFGRASS MANAGEMENT

Aldous, D. E., and Balfour, D. Evaluation of an industry lime by-product on a golf course fairway in south-eastern Victoria	817
Backman, P. A., Miltner, E. D., Stahnke, G. K., and Cook, T. W. Effects of cultural practices on earthworm casting on golf course fairways	823
Beard, J. B., Croce, P., Mocioni, M., De Luca, A., and Volterrani, M. The comparative competitive ability of thirteen <i>Agrostis stolonifera</i> cultivars to <i>Poa annua</i>	828
Bingaman, B. R., Christians, N. E., and Gardner, D. S. Trinexapac-ethyl effects on rooting of Kentucky bluegrass (<i>Poa pratensis</i>) sod	832
Bruneau, A.H., Bigelow, C. A., Cooper, R. J., and Bowman, D. C. Performance of creeping bentgrass cultivars maintained at two mowing heights and under two fungicide regimes in North Carolina	835
Bunnell, B. T., McCarty, L. B., and Hill, H. S. Summer cultivation effects on a sand based creeping bentgrass golf green	843
Cattani, D. J. Effect of turf competition on creeping bentgrass seedling establishment	850
Croce, P., De Luca, A., Mocioni, M., Volterrani, M., and Beard, J. B. Warm-season turfgrass species and cultivar characterizations for a mediterranean climate	855
Fagerness, M. J., Yelverton, F. H., and Cline, V. Trinexapac-ethyl affects canopy architecture but not thatch development of Tifway bermudagrass	860
Gaussoin, R. E., Minner, D., Keeley, S., and Vaitkus, M. Annual seeding of <i>Cynodon dactylon</i> [L.] Pers. for improved performance of heavily trafficked athletic fields in temperate climates	865
Gibbs, R. J., Wrigley, M. P., and Hooker, M. A. Control of dew formation on sports turf with the use of wetting agents	870
Hall, E. J. G., Gibbs, R. J., Munro, P. R., Hannan, B. K., and McAuliffe, K. W. Evaluation of golf footwear for New Zealand golf course conditions	875
Harivandi, M. A., Hagan, W. L., and Elmore, C. L. Recycling mower effects on biomass, nitrogen recycling, weed invasion, turf quality and thatch	882

Landry, G., and Schlossberg, M. Bentgrass (<i>Agrostis</i> spp.) cultivar performance on a golf course putting green	886
Oral, N., and Açıkgöz, E. Turf performances of cultivar blends with pure cultivars in four turfgrass species	892
Oral, N., and Açıkgöz, E. Effect of seeding rate on establishment and quality characteristics of a turf mixture	897
Peacock, C. H. Irrigation requirements for turf establishment under supraoptimal temperature conditions	900
Rossi, F. S. Annual bluegrass population dynamics in response to growth regulators and herbicides	906
Ruemmele, B. A., Engelke, M. C., White, R. H., and Lehman, V. Alternate sod production method for zoysiagrass	910
Russi, L., Martiniello, P., Tomasoni, C., Annicchiarico, P., Piano, E., and Veronesi, F. Establishment of cool season grasses in different Italian environments	917
Sellmann, M. J., and Brede, A. D. How mowed turf conditions affect tall fescue plant populations	922
Shearman, R. C., Turner, T. R., Morris, K.N., Gaussoin, R. E., Vaitkus, M. R., and Wit, L.A. Sod strength and lateral spread of <i>Poa pratensis</i> cultivars and experimental lines	928
Sifers, S. I., and Beard, J. B. Turf quality and morphological comparisons of winter overseeding methodologies for a high-density dwarf <i>Cynodon</i> turf	934
Sorochan, J. C., Rogers III, J. N., Stier, J. C., and Karcher, D. E. Fertility and simulated traffic effects on Kentucky bluegrass / supina bluegrass mixtures	941
Tonogi, H., Sonobe, H., and Maki, Y. Fuji Kogen 7-year study: The relationships among high turf quality, root zone functions, and low-cost culture of a putting green constructed with a high-sand root zone	947
Voigt, T. B., Fermanian, T. W., and Haley, J. E. Influence of mowing and nitrogen fertility on tall fescue turf	953
Volterrani, M., Miele, S., Magni, S., Gaetani, M., and Pardini, G. Bermudagrass and seashore paspalum winter overseeded with seven cool-season turfgrasses	957

SECTION 10

TURFGRASS WEEDS

Bhowmik, P. C., and Drohen, J. A. Differential response of cool-season turfgrass species to isoxaflutole	995
Busey, P. Optimum herbicide strategy for managing mixed weed populations in the southern U.S.	1001
Dernoeden, P. H. Reduced herbicide rates for smooth crabgrass control in the Mid-atlantic region	1005
Fry, J., Rodie, S., Gaussoin, R., Wiest, S., Upham, W., and Zuk, A. Using flowering ornamentals to guide application of preemergence herbicides in the midwestern U.S.	1009
Lickfeldt, D. W., Voigt, T. B., Branham, B. E., and Fermanian, T. W. Evaluation of allelopathy in cool season turfgrass species	1013
Lowe, D. B., Swire-Clark, G. A., McCarty, L. B., Whitwell, T., and Baird, W. V. Biology and molecular analysis of dinitroaniline-resistant <i>Poa annua</i> L.	1019
McDade, M. C., and Christians, N. E. Corn gluten hydrolysate for crabgrass (<i>Digitaria</i> spp.) control in turf.	1026

Müller, C., and Santoro, F. Chemical control of <i>Pennisetum clandestinum</i> Hochst ex Chiov (Kikuyugrass) in <i>Cynodon dactylon</i> (L.) Pers. (common bermudagrass)	1030
Murphy, T. R. Efficacy of preemergence herbicides for use in bermudagrass fall-overseeded with perennial ryegrass	1036
Rodriguez, I. R., McCarty, L. B., and Higingbottom, J. K. Postemergence annual bluegrass control in dormant common bermudagrass	1041
Waltz Jr., F. C., Higingbottom, J. K., Murphy, T. R., Yelverton, F., and McCarty, L. B. Bermudagrass control in centipedegrass with clethodim and adjuvant combinations	1045
Yelverton, F. H., and McCarty, L. B. Tolerance of perennial ryegrass and <i>Poa annua</i> control with herbicides in overseeded bermudagrass	1050
Zhang, X., Schmidt, R. E., and Hipkins, P. L. The influence of selected PGRs on postemergence herbicide efficacy	1056