

**Table of Contents
PART ONE**

**SECTION 1
CONSERVATION/ENVIRONMENTAL QUALITY**

Baird*, J. H., R. L. Green, S. Mitra, R. V. Plumb, G. J. Klein and J. R. Frelich. Response of hybrid bluegrass, Kentucky bluegrass and tall fescue to short-term drought recovery in a Mediterranean climate ...	1
Cereti*, C. F., F. Rossini and R. Ruggeri. Reduction of irrigation on tall fescue and bermudagrass turfs in a Mediterranean environment	9
Hindahl, M. S., E. D., miltner, T. W. Cook and G. K. Stahnke*. Surface water quality impacts from golf course fertilizer and pesticide applications	19
Johnsen, A. R., B. P. Horgan* and V. W. Cline. Effect of turf species and sensor orientation to the sun on reflectance measurement	31
Kopp*, K. and K. Guillard. Quantifying turfgrass-available N from returned clippings using anion exchange membranes	41
Mc Groary*, Pauric C., Samira H. Daroub, Alan L. Wright, John L. Cisar, George H. Snyder and Karen E. Williams. The effects of irrigation and nitrogen on St. Augustrinegrass color, quality and growth	55
Rice*, P. J. and B. P. Horgan. Fungicide and nutrient transport with runoff from creeping bentgrass turf	61
Rossi*, F. S. and J. A. Grant. Long term evaluation of reduced chemical pesticide management of golf course putting turf	77
Soldat*, D., W. R. Kussow and S. M. Houlihan. Field assessment of root zone amendment effects on nutrient leaching from golf putting greens	91

Stier*, J. and W. Kussow. Golf course fairway runoff and Leachate unaffected by nascent vegetative buffer strips	105
Young*, N. G. M., J. L. Cisar, J. E. Erickson, G. H. Snyder, J. B. Sartain and K. E. Williams. St. Augustinegrass response to nitrogen sources under contrasting application rates and frequency	121

SECTION 2 DISEASES (PLANT PATHOLOGY)

Anderson, Z. R. and T. W. Fermanian*. Early detection of Pythium blight and brown patch through multispectral imaging of creeping bentgrass foliage	137
Benedetto, D. and T. Hsiang*. Effect of azoxystrobin on dollar spot disease development in creeping bentgrass (<i>Agrostis stolonifera</i>) and Kentucky bluegrass (<i>Poa pratensis</i>)	151
Brecht, M., C. Stiles and L. Datnoff*. Effect of high temperature stress and silicon fertilization on pathogenicity of <i>Bipolaris cynodontis</i> and <i>Curvularia lunata</i> on Floradwarf bermudagrass	165
Cook, P. J. Landschoot* and M. Schlossberg. Suppression of anthracnose basal rot and improved putting green quality with phosphonate fungicides	181
Fidanza*, M., J. Kaminski, M. Agnew and D. Shepard. Evaluation of water droplet size and water carrier volume on fungicide performance for anthracnose control on annual bluegrass	195
Inguagiato, J. C., J. A. Murphy* and B. B. Clarke. Anthracnose of annual bluegrass putting green turf influenced by trinexapac-ethyl application interval and rate	207
Kaminski, J. E.* and A. I. Putman. Safety of bispyribac-sodium on colonial bentgrass and influence on brown patch severity	219
Kerns*, J. P., H. D. Shew, D. M. Benson and L. P. Tredway. Impact of irrigation frequency, organic matter content and creeping bentgrass cultivar on the development of Pythium root dysfunction	227
Koch*, P., J. Kerns and J. Stier. Spring time fungicide applications delay and reduce dollar spot disease of turfgrass in Wisconsin	241

Miller*, G. L. Jr. and L. P. Tredway. Selective amplification of Fairy ring fungi from infested putting green soils	253
Venu, R. C., R. A. Beaulieu, T. L. Graham, A. M. Medina and M. J. Boehm. Dollar spot fungus <i>Sclerotinia homeocarpa</i> produces oxalic acid ...	263
Watkins*, E., S. A. Bonos and W. A. Meyer. Heritability of brown patch resistance in tall fescue	271
Walker*, N. R., S. M. Marek and D. L. Smith. Fungal biodiversity in bermudagrass (<i>Cynodon dactylon</i> x <i>tranvaalensis</i>) inoculated with <i>Ophiosphaerella herpotricha</i> or <i>Gauemannomyces graminis</i> var. <i>graminis</i>	283

**SECTION 3
ESTABLISHMENT AND MAINTENANCE**

Acuna*, A. A., D. S. Gardner and T. K. Danneberger. A bioassay technique to measure preemergence activity in turfgrass	293
Aldous*, D. E., J. J. Haydu and R. N. Moir. Benchmarking the Australian sod industry	299
Bauer*, B. K., R. E. Poulter, A. D. Troughton and D. S. Loch. Salinity tolerance of twelve hybrid bermudagrass [<i>Cynodon dactylon</i> (L.) PERS. X C. <i>tranzvaalensis</i> Burt Davy] genotypes	313
Carroll*, M. J. Effect of phosphorus placement on tall fescue establishment	327
Cereti*, C. F., F. Rossini and F. Nasseti. Comparison of tall fescue management programs for a Mediterranean environment	341
Gibbs*, R. J., M. A. Jennings-Temple and K. M. Pollock. Evaluation of light transmission properties under an Ethylterafluoroethylene (ETFE) structure	351
Guertal*, E. A. and D. Y. Han. Footing assessment of equine event courses	365
Hoiberg, A. H., D. D. Minner*, O. Valverde and F. J. Valverde. Seeding rates of annual ryegrass that maximize turf cover when sown during traffic	375

Lopez*, F. B. and L. E. Chinnery. Development of stimpmeter for cricket fields	389
McCauley, R. K., L. B. McCarty*, H. Liu and J. E. Toler. Optimizing overseed spring transition by integrating mowing height, nitrogen rate and sulfonyleurea herbicide use	399
Munshaw*, G. C., H. W. Philley, J. M. Goatley, Jr., P. D. Gerard and B. R. Stewart. Timing of seeded bermudagrass establishment affects first winter survival	417
Munshaw*, G. C., H. W. Philley, and J. S. Beasley. No-till strategies for converting common bermudagrass (<i>Cynodon dactylon</i> L.) to improved seeded cultivars	427
Narra, S., T. W. Fermanian* and T. B. Voigt. A machine vision approach to objective turfgrass texture evaluation	437
Roche*, M. B., D. S. Loch, D. L. Jonothan, C. Penberthy, R. Durant and A. D. Troughton. Factors contributing to wear tolerance of bermudagrass [<i>Cynodon dactylon</i> (L.) PERS., <i>C. dactylon</i> x <i>tranzvaalensis</i> Burt Davey] on a sand-based profile under simulated sports field conditions	449
Rowland, J., J. L. Cisar, G. H. Snyder, J. B. Sartain and A. L. Wright. Affects of cultural practices on ultradwarf bermudagrass putting green surface properties	461
Slavens*, M. R., A. M. Petrovic and J. J. Barlow. The impact of recycled water irrigation on soil health and quality of newly established cool season turfgrasses during drought conditions	471
St. John, R., J. Fry*, D. Bremer and S. Keeley. Establishment rate and lateral spread of <i>Festuca arundinacea</i> cultivars	481
Stewart*, B. R., G. C. Munshaw, H. W. Philley and D. W. Wells. Ball marks: Does repair tool influence recovery time?	489
Summerford*, J. A., D. E. Karcher, M. D. Richardson, A. J. Patton and J. W. Boyd. Cultural practice effects on the spring transition of seeded meadow fescue and Tetraploid perennial ryegrass sports fields	501
Volterrani*, M., N. Grossi, S. Magni, M. Gaetani, F. Lulli, P. Croce, A. De Luca and M. Mocioni. Evaluation of seven cool Seaton turfgrasses for overseeding a bermudagrass putting green	511

**SECTION 4
GENETICS AND BREEDING**

Abeyo, B. and R. C. Shearman*. Buffalograss (<i>Buchloe dactyloides</i>) turfgrass performance and seed yield characteristics	519
Kubik, C., J. Honig, W. A. Meyer and S. A. Bonos*. Genetic Diversity of Creeping Bentgrass Cultivars Using SSR Markers	533
Loch*, D. S., M. B. Roche, J. Sun-Yue, V. Arief, I. H. Delacy and C. J. Lambrides. Characterization of Commercial Cultivars and Naturalized Genotypes of <i>Stenotaphrum secundatum</i> (Walter) Kuntze in Australia	549
Park*, B. S. J. Bokmeyer, J. A. Murphy, S. A. Bonos and W. A. Meyer. Evaluation of tall fescue under simulated wear	563
Reynolds*, W. C., R. Li, K. de Silva, A. H. Bruneau and R. Qu. Field performance of mutante and somcclonal variation lines of St. Augustinegrass [<i>Stenotaphrum secundatum</i> (Walt.) Kuntze]	573
Vergara, G. V. and S. S. Bughrara*. Potential resistance to gray snow mold in colonial bentgrass germplasm and divergent natural creeping bentgrass clones	583
Watkins*, E., S. A. Bonos, M. D. Clark and W. A. Meyer. Ploidy determination of tufted hairgrass germplasm using flow cytometry	599

**SECTION 5
INFORMATION TECHNOLOGY/EDUCATION**

Liu, H.*, T. Whitwell, D. C. Garrett, L. B. McCarty, S. B. Martin, J. Adelberg, J. Adelberg, J. E. Brown-Faust and C. M. Baldwin. Survey of undergraduate turf education and the internship experience	607
---	-----

**SECTION 6
PESTS (INSECTS/NEMATODES)**

Chong*, J. H. and D. M. Park. Saline irrigation water effects on the abundance of turfgrass arthropods	619
Drees*, B. M. Red imported fire ant management, impact of educational programs and considerations for recent incursions	631
Hale, T. C., J. A. reinert* and R. H. White. Resistance of zoysiagrass (<i>Zoysia</i> spp.) to fall armyworm (<i>Lepidoptera: Noctuidae</i>): Leaf tensile strength and cell wall components	639
Liesch, P. J. and R. C. Williamson*. Effects of various turfgrass control agents on feeding preference, development and survival of black cutworm	649
Mauer, M., J. A. Reinert*, D. L. Auld and S. T. Brewer. Buffalograss (<i>Buchloe dactyloides</i>) resistance to the Rhodesgrass mealybug	655
Reinert*, J. A., M. C. Engelke, A. D. Genovesi, A. Chandra and J. McCoy. Resistance to tropical sod webworm (<i>Herpetogramma phaeopteralis</i>) in St. Augustinegrass and zoysiagrass	663
Reinert*, J. A., J. M. Chantos and S. B. Vinson. Susceptibility of bermudagrass, St. Augustinegrass and zoysiagrass to colonization by Rhodesgrass mealybug, <i>Antonina graminis</i> (Hemiptera: Pseudococcidae)	675
Taschereau, É, L. Simard*, J. Broudeur, J. Gelhaus, G. Bélair and J. Dionne. Seasonal ecology of the European crane fly (<i>Tipula paludosa</i>) and species diversity of the family Tipulidae on golf courses in Quebec, Canada	681
Westerdahl, B. B. and M. A. Harivandi*. Evaluation of nematicides, fungicides, insecticides, molluscicides and fertilizers for nematode management in turfgrass in California	695
Williamson, R. C.* and S. C. Hong. Host plant selection and targeted insecticide treatments as alternative approaches to management of black cutworm on golf course putting greens	701

PART TWO

SECTION 7 PHYSIOLOGY AND STRESS PHYSIOLOGY

Baldwin, C. M., H. Liu*, L. B. McCarty, H. Luo and J. E. Toler. Dormant bermudagrass spring green-up influenced by shade	711
Bertrand*, Annick, Y. Castonguay, G. Thibault, P. Rochette, T. Hsiang and J. Dionne. Greens-type annual bluegrass resistance to abiotic and biotic stresses during winter	723
Bushoven*, J. T. and R. J. Hull. The site of nitrate assimilation controls the partitioning of photosynthate between roots and leaves of perennial ryegrass (<i>Lolium perenne</i> L.)	737
Ervin*, E. H., A. LaBranche and X. Zhang. Kentucky bluegrass and creeping bentgrass responses to foliar application of glycinebetaine at three ET replacement levels	755
Foschi*, L., M. Volterrani, N. Grossi and S. Miele. Monitoring relative water content in turf with canopy spectral reflectance	765
den Haan, J., B. Huang*, J. A. Murphy, S. A. Bonos, M. DaCosta and W. A. Meyer. Morphological and anatomical variations among perennial ryegrass cultivars exposed to wear stress	779
Howieson, M. J. and N. E. Christians*. Activities of antioxidant enzymes, efficiency of PSII and lipid peroxidation in mowed creeping bentgrass	789
Huang*, B. and X. Liu. Physiological responses of creeping bentgrass to heat stress affected by phosphonate fungicide applications	799
Hunter*, A. R. Shorten and D. McDonagh. The effect of supplementary and replacement lighting on turfgrass growth and development	807
Krishnan, S. and R. Nelson Brown*. Na⁺ and K⁺ accumulation in perennial ryegrass and red fescue accessions differing in salt tolerance	817
Rutledge, J. M., C. H. Peacock*, R. J. Cooper and A. H. Bruneau. Comparative cold tolerance of selected bermudagrass (<i>Cynodon</i> spp.) cultivars	829

Sarvis III, W. G., H. Liu*, L. B. McCarty and J. E. Toler. Performance of <i>Poa trivialis</i> as overseeded turf under shade conditions	837
Shahba*, M. A., Y. Qian and S. Wallner. Influence of Proxy on saltgrass seed germination in saline soils	849
Studzinska*, A. K., D. Gardner, J. Yan, E. Nangle and T. K. Danneberger. Development and characterization of transgenic creeping bentgrass transformed with <i>Arabidopsis</i> BAS1 gene	859
Su, K., D. J. Bremer*, S. J. Keeley and J. D. Fry. Mowing and drought effects on a hybrid bluegrass compared with a Kentucky bluegrass	871
Zhang*, Q., J. Fry, X. Pan, C. Rajashekar, D. Bremer, M. Engelke, and X. Wang. Cold acclimation of <i>Zoysia japonica</i> and <i>Z. matrella</i> and changes in rhizome abscisic acid levels	883
Zhang*, X., R. E. Schmidt and E. H. Ervin. Impact of salicylic acid on bermudagrass freezing tolerance associated with abscisic acid and antioxidant metabolism	893

**SECTION 8
SOIL BIOLOGY, CHEMISTRY AND PLANT NUTRITION**

Aamlid*, T. S., T. Espevig, B. Molteberg, A. Tronsmo, O. M. Eklo, I. S. Hofgaard, G. H. Ludvigsen and M. Almvik. Disease control and leaching potential of fungicides on golf greens with and without organic amendment to the sand-based root zone	903
Aamlid*, T. S. and H. M. Hanslin. Evaluation of organic fertilizers and biostimulants on sand-based golf greens and football pitches under Scandinavian climate conditions	919
Barry, T. J., K. Guillard* and S. S. Mangiafico. Relationships between soil nitrate desorbed from anion-exchange membranes, canopy reflectance and nitrate leaching losses from cool-season lawn turf	933
Bartlett*, M. D., I. T. James, J. A. Harris and K. Ritz. Microbiological profiles of golf course soils	949
Blume*, C. J., N. E. Christians and Y. K. Joo. Nitrogen release timing of organic fertilizers applied to turf	957

Brede*, A. D. and Emily Bartell. Cultivar x fertilizer interactions in Kentucky bluegrass and perennial ryegrass turf	967
Butler*, T. K. W. Frank and J. Bryan. Growth, nutrition and development of creeping bentgrass in response to phosphate and phosphite application	979
Fang, W. D. Li*, L. Han and Z. Sun. Turfgrass tissue analysis using Fourier Transform Infrared Reflectance Spectroscopy	987
Goldsby. A. L. and Steven J. Keeley*. Nitrogen source and timing effect on non-structural carbohydrate status of 'Midlawn' Bermudagrass	1001
Malazian, A., S. Mitra* and P. Dwyer. Efficacy of a surfactant plus fertilizer on the growth and development of tall fescue	1011
Seth-Carley, D. S., Davis, D. Bowman, L. Tredway, T. Ruffy* and C. H. Peacock. Effluent application to creeping bentgrass in the transition zone: Effluent analysis and potential negative effects from salinity and low oxygen	1023

**SECTION 9
SOIL PHYSICS AND ROOTZONE CONSTRUCTION**

Amoozegar, A., C. Peacock* and C. Niewoehner. Suitability of an animal waste-based root zone mixture for putting green construction	1033
Blombäck*, K., A. Hedlund and M. Strandberg. Changes in soil biological and physical parameters of golf green rootzones with differing organic. Matter content and quality: a six year study	1041
Brosnan*, J. T., A. S. McNitt and T. J. Serensits. Effects of varying surface characteristics on the hardness and traction of baseball field playing surfaces	1053
Dest*, W. M., J. S. Ebdon, and K. Guillard. Differentiating between the influence of wear and soil compaction and their interaction of turfgrass stress	1067
Follis, C. C., S. H. Anderson*, E. H. Ervin and B. S. Fresenburg. Evaluation of sand-soil root zones amended with calcined clay and zeolite for athletic fields	1085

Guisasola, I., I. James*, C. Llewellyn, M. Bartlett, V. Stiles and S. Dixon. Human-surface interactions: an integrated study	1097
Henderson*, J. J., J. N. Rogers, III and J. R. Crum. The effects of natural and artificial root zone inclusions on the playing surface characteristics of trafficked Kentucky bluegrass	1107
Lyons*, E. M., K. S. Jordan and K. Carey. Use of wetting agents to relieve hydrophobicity in sand rootzone putting greens in a temperate climate zone	1131
Prämaßing*, W., Anne Reinders, Heinrich Franken and Heinz Schulz. Physical properties of different turfgrass soils influenced by aeration treatments	1139

**SECTION 10
WEED SCIENCE**

Askew*, S. D. and T. R. Murphy. Relative mobility of transition-assisting herbicides	1153
Blume*, C. J. and N. E. Christians. Mesotrione for preemergence and postemergence control of <i>Digitaria sanguinalis</i> in <i>Poa pratensis</i>	1159
Busey*, P. Irrigation interval and herbicide reduces Dollarweed (<i>Hydrocotyle umbellata</i>) in St. Augustinegrass (<i>Stenotaphrum secundatum</i>) turf	1167
Busey*, P. Proliferation and detection of contamination in turfgrass vegetative propagation	1177
Goddard, M. J. R., S. D. Askew*, B. J. Brecke, J. F. Derr and T. R. Murphy. <i>Poa annua</i> population response to overseeded perennial ryegrass seedling rate and bispyribac-sodium	1183
Goss*, R. M., R. E. Gaussoin and A. R. Martin. Glyphosate rate-response of common turfgrass weeds	1191
Jester, J. L., S. D. Askew* and B. J. Brecke. Wet blade technology efficacy in controlling <i>Trifolium repens</i> and <i>Digitaria ischaemum</i> in turfgrass with herbicides	1199

Mittlesteadt, T. L., J. M. Goatley, S. D. Askew*, K. L. Hensler and W. L. Askew. **Low-impact conversion of cool-season turf to ‘Patriot’ bermudagrass** 1205

McElroy*, J. S. ***Poa annua* control in bermudagrass turf with nicosulfuron-rimsulfuron mixtures** 1213

Stier*, J. and B. P. Horgan. **Sensitivity of Kentucky bluegrass (*Poa pratensis* L.) cultivars to bispyribac-sodium herbicide** 1221

Willis, J. B. and Shawn D. Askew*. **Foramsulfuron applied before and during establishment of seeded bermudagrass** 1229

Williams*, M. W., W. J. Johnston, J. P. Yenish, E. D. Miltner and C. T. Golob. **Glasshouse evaluation of pre-plant and at planting applications of mesotrione on perennial ryegrass and chewings fescue** 1237

ITS (International Turfgrass Society) Annexe –Technical Papers 2009

Non peer-reviewed presented at the 11th International Turfgrass Research Conference, Santiago, Chile, July 26th-31th

Conservation/Environmental Quality

FINELEAF FESCUE PERFORMANCE UNDER RECYCLED WATER IRRIGATION. M. A. Harivandi, W. B. Hagan, R. Yokote and K.N. Morris 7

THE USE OF ORGANIC MEDIA AIDS ROOT GROWTH OF TURFGRASS IN SALINE SAND. B. Bauer, R. Poulter, A. Troughton and D. Loch 10

Diseases

THE INTERACTION OF *RHIZOCTONIA ZEAE* INOCULATION AND SALINE WATER ON *PASPALUM VAGINATUM* AND *CYNODON DACTYLON*. S. J. Kammerer¹ and P. F. Harmon 13

Pests

OVERVIEW OF GROUND PEARL ATTACKING TURFGRASS IN NORTH CAROLINA, USA. P.T. Hertl, R.L. Brandenburg and A.S. Schoeman 15

POPULATION DYNAMICS OF NEMATODES FROM THE ESTABLISHMENT OF A GREEN UP TO FIVE YEARS OLD. J. C. Magunacelaya and C. P. Müller 17

Genetics, Breeding & Variety Evaluation

COMPARATIVE PERFORMANCE OF HYBRID BLUEGRASS, KENTUCKY BLUEGRASS, AND TALL FESCUE IN SOUTHERN CALIFORNIA. Sowmya Mitra, Russell Van Plumb, Robert Green and Jim Frelich 19

BREEDING ANNUAL RYEGRASS (*LOLIUM MULTIFLORUM*) AND PERENNIAL RYEGRASS (*LOLIUM PERENNE*) FOR SALINITY TOLERANCE. L. R. Nelson and M. A. Foster 21

EVALUATING THE COLD TOLERANCE OF IMPROVED SEEDED CENTIPEDEGRASS CULTIVARS IN THE TRANSITION ZONE. A. Thoms, J. Sorochan, J. Kauffman, T. Samples, J. Parham, W. Hanna and J. Brosnan 23

Information Technology/Education

TURF MANAGEMENT SIMULATION EXERCISE FOR DIPLOMA LEVEL TEACHING. W. Robert Witherspoon 25

Physiology/Stress Physiology

GROWTH OF GOLF TURF AS A FUNCTION OF LIGHT AND TEMPERATURE UNDER SWEDISH CONDITIONS – A SIMULATION STUDY. Karin Blombäck, Henrik Eckersten and Erik Sindhøj 27

DROUGHT AND SALT RESISTANCE OF TWO TURFGRASS SPECIES TREATED WITH CHITOSAN AND GLYCINEBETAINE APPLIED FOLIARLY. Scalia R., G. Russo, F. Grisafi, and A. Barone 29

EVALUATION OF TURFGRASS PERFORMANCE UNDER AN ETHYL TETRAFLUOROETHYLENE (ETFE) STRUCTURE. Richard John Gibbs ^{ii*} and Marke Anthony Jennings-Temple	32
--	----

Soil Physics/Rootzone Characterisation

THE RELATIONSHIP BETWEEN TOTAL POROSITY, ROOTING AND SOIL BIOLOGY IN CRICKET PITCH SOILS. Peter Shipton, Mark D. Bartlett and Iain T. James.....	35
--	----

SURFACE HARDNESS CHARACTERISTICS OF CRICKET PITCHES AS DETERMINED WITH A CLEGG HAMMER. Francis B. López and Louis E. Chinnery	38
---	----

EFFECTS OF THE NON-IONIC SURFACTANT REVOLUTION AND PEAT AMENDMENT ON LEACHING OF FUNGICIDES AND NITRATE FROM GOLF GREENS. Trygve S. Aamlid, Mats Larsbo and Nick Jarvis	41
---	----

EVALUATION OF THE SURFACTANT AQUEDUCT® FOR RECOVERY OF TURFGRASS QUALITY ON A SEVERELY WATER REPELLENT GOLF GREEN. Trygve S. Aamlid, Tatsiana Espevig, Trond Olav Pettersen, Siv Lene Gangenes Skar and Agnar Kvalbein	43
--	----

Weed Science

VIRGINIA BUTTONWEED CONTROL IN HYBRID BERMUDAGRASS TURF. Robert H. Walker and J. L. Belcher	45
---	----

SEASONAL VARIATION IN THE CONTROL OF <i>Pennisetum clandestinum</i> WITH FORAMSULFURON. Jyri Kaapro and James Hull	48
--	----

SELECTIVE REMOVAL OF CREEPING BENTGRASS AND CONVERSION TO A PERENNIAL RYEGRASS TURF STAND WITH MESOTRIONE (TENACITY™) HERBICIDE AND INTER-SEEDING. D.K. Mosdell, D.L. Cox, W.J. Johnston, C.T. Golob, M.W. Williams, E.D. Miltner and R.L. Luchterhand	50
--	----

ANNUAL BLUEGRASS CONTROL AND KENTUCKY BLUEGRASS SEED GERMINATION AS AFFECTED BY BISPYRIBAC-SODIUM. M.P. Muñoz, R. Figueroa, S. Contreras, C.F. Mancino, P. J. Sherratt, D.D. Holdren, and J. R. Street	52
--	----

PENOXsulAM HERBICIDE FOR CONTROL OF ENGLISH DAISY (BELLIS PERENNIS) IN TURFGRASS. Mike Tolley, Mike Lees, James Breuninger, Dan Loughner, Mark M. Mahady and Randy L. Smith 56

RESPONSE OF BENTGRASS AND FINELEAF FESCUE SPECIES AND CULTIVARS TO MESOTRIONE APPLICATIONS. Williams, M.W., W.J. Johnston, C.T. Golob, J.P. Yenish and E.M. Miltner 58

Establishment and Maintenance

SEGWAY AND GOLF CAR WEAR ON DORMANT BERMUDAGRASS FAIRWAYS. John M. Kauffman, J.C. Sorochan, D.E. Karcher, M.D. Richardson, T.J. Samples and A.Thoms 60

NITROGEN REQUIREMENT FOR ANNUAL BLUEGRASS, VELVET BENTGRASS, AND CREEPING BENTGRASS UNDER PUTTING GREEN MANAGEMENT IN ONTARIO, CANADA. Paré, K., W. J. Johnston, P. Charbonneau, M. H. Chantigny, K. Carey and J. Dionne 62

THE MAINTENANCE OF SYNTHETIC TURF. Iain James and Andrew McLeod 64

A CYCLE METHOD FOR MEASURING MACHINERY FUEL CONSUMPTION. M. C. J. Caple, K. Blombäck and M. J. D. Dufour 67

EVALUATION OF THE PLANT GROWTH REGULATOR TRINEXAPAC-ETHYL (PRIMO MAXX®) ON NORDIC GOLF COURSE GREENS AND FAIRWAYS. Trygve S. Aamlid and Oiva Niemelainen 70
